



SM SERVICE METAL
The Best Products. The Best Service.

January 30th, 2017



Malleable
Iron Pipe Fittings
150 lb & 300 lb

St. Louis

Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
Fax: 281-499-0508

servicemetal.net



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
ELBOWS 90°				
1/8	600	50	15.18	11.09
1/4	420	35	14.41	10.54
3/8	360	90	14.41	10.54
1/2	200	50	9.56	7.90
3/4	105	35	11.50	9.56
1	60	20	21.48	16.78
1-1/4	40	20	33.11	27.16
1-1/2	30	15	43.65	35.75
2	16	8	72.68	61.25
2-1/2	12	-	181.04	132.96
3	8	-	304.29	198.29
3-1/2	4	-	POA	POA
4	2	-	526.76	421.65
5	2	-	POA	POA
6	1	-	2232.2	1577.25
8	1	-	POA	POA
REDUCING ELBOWS 90°				
1/4 X 1/8	480	40	24.32	20.58
3/8 X 1/8	420	105	30.65	POA
3/8 X 1/4	360	90	21.68	15.18
1/2 X 1/8	240	60	17.81	POA
1/2 X 1/4	240	60	17.81	14.75
1/2 X 3/8	240	60	16.69	14.41
3/4 X 1/8	160	40	25.70	POA
3/4 X 1/4	160	40	25.70	19.71
3/4 X 3/8	160	40	25.70	19.75
3/4 X 1/2	160	40	19.40	14.96
1 X 1/4	100	25	40.24	31.12
1 X 3/8	100	25	40.25	31.12
1 X 1/2	100	25	26.27	20.31
1 X 3/4	100	50	24.81	19.12
1-1/4 X 1/2	80	20	50.85	41.23
1-1/4 X 3/4	60	15	49.89	35.28
1-1/4 X 1	40	10	41.51	31.12
1-1/2 X 1/2	60	15	65.19	52.02
1-1/2 X 3/4	40	10	63.88	50.93
1-1/2 X 1	40	10	63.88	50.93
1-1/2 X 1-1/4	30	15	63.88	50.93
2 X 1/2	40	10	90.48	74.89
2 X 3/4	36	9	90.48	74.89
2 X 1	28	14	88.68	73.45
2 X 1-1/4	20	10	88.68	73.45
2 X 1-1/2	20	10	77.46	64.58
2-1/2 X 1/2	20	10	POA	POA
2-1/2 X 3/4	20	10	POA	POA
2-1/2 X 1	16	8	POA	POA
2-1/2 X 1-1/4	16	8	283.58	180.02

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING ELBOWS 90° (Con't)				
2-1/2 X 1-1/2	12	6	283.58	180.08
2-1/2 X 2	12	6	252.55	176.96
3 X 1/2	-	-	POA	POA
3 X 3/4	-	-	POA	POA
3 X 1	8	4	398.72	285.90
3 X 1-1/4	-	-	POA	POA
3 X 1-1/2	8	4	398.73	285.95
3 X 2	8	4	398.73	285.95
3 X 2-1/2	8	4	398.73	285.95
4 X 1-1/2	-	-	POA	POA
4 X 2	4	2	774.74	489.98
4 X 2-1/2	2	1	774.74	489.96
4 X 3	2	1	774.74	489.98
ELBOWS 45°				
1/8	600	50	21.77	16.01
1/4	360	30	19.40	16.35
3/8	300	75	19.26	14.83
1/2	200	50	14.83	12.88
3/4	120	40	20.79	15.73
1	60	20	23.85	20.03
1-1/4	40	20	43.45	34.99
1-1/2	30	10	51.77	43.24
2	24	12	77.25	65.07
2-1/2	12	-	261.48	183.54
3	10	-	380.16	238.28
3-1/2	-	-	POA	POA
4	4	-	637.13	462.88
5	2	-	POA	POA
6	1	-	2,232.20	1,577.25
8	-	-	POA	POA
STREET ELBOW 90°				
1/8	720	60	20.50	15.93
1/4	420	35	19.81	15.93
3/8	240	60	19.81	15.93
1/2	180	60	20.44	16.35
3/4	105	35	19.81	15.93
1	90	45	26.96	22.92
1-1/4	50	25	45.32	34.99
1-1/2	27	9	55.84	46.70
2	16	8	96.80	75.72
2-1/2	10	5	262.38	186.86
3	8	-	396.10	285.11
4	4	-	653.84	464.34
6	1	-	1,769.86	1,229.64
REDUCING STREET ELBOWS 90°				
3/4 X 1/2	-	-	POA	POA
1 X 3/4	-	-	POA	POA
1-1/4 X 1	-	-	POA	POA

St. Louis
Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte
Eastern U.S.
800-438-6946
Fax: 704-331-0646
servicemetal.net

Houston
South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
STREET ELBOWS 45°				
1/8	840	70	28.35	24.74
1/4	480	40	24.32	18.43
3/8	400	100	27.72	20.92
1/2	225	75	21.42	16.83
3/4	120	40	34.64	25.84
1	75	25	42.81	30.00
1-1/4	40	10	64.15	51.91
1-1/2	30	10	77.75	64.36
2	24	12	133.51	108.57
2-1/2	12	6	313.90	230.95
3	6	3	469.60	353.87
4	4	-	763.59	662.66
SIDE OUTLET 90°				
1/8	-	-	POA	POA
1/4	-	-	POA	POA
3/8	-	-	POA	POA
1/2	135	45	POA	POA
3/4	80	20	POA	POA
1	40	20	POA	POA
1-1/4	-	-	POA	POA
1-1/2	-	-	POA	POA
2	-	-	POA	POA
TEES				
1/8	480	120	21.68	16.83
1/4	300	75	18.77	15.93
3/8	180	45	18.77	15.93
1/2	120	40	11.57	10.33
3/4	70	35	19.46	14.55
1	40	20	31.80	25.70
1-1/4	28	14	50.23	41.71
1-1/2	24	12	62.70	51.91
2	16	8	104.61	88.14
2-1/2	8	4	280.95	181.32
3	6	-	329.44	272.15
3-1/2	-	-	POA	POA
4	2	1	778.82	638.95
5	1	-	POA	POA
6	1	-	2232.4	1825.43
8	1	-	POA	POA
REDUCING TEES				
1/4 X 1/8	300	25	POA	POA
3/8 X 1/8	360	90	POA	POA
3/8 X 1/4	240	60	POA	21.13
1/2 X 1/8	160	40	POA	21.82
1/2 X 1/4	160	40	22.31	17.38
1/2 X 3/8	160	40	28.40	21.88
3/4 X 1/4	100	25	27.92	24.66

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING TEES (Continued)				
3/4 X 3/8	100	25	27.92	26.18
3/4 X 1/2	80	20	26.82	22.45
1 X 1/4	80	20	45.44	31.45
1 X 3/8	60	15	46.29	35.75
1 X 1/2	60	15	37.62	28.61
1 X 3/4	48	12	37.62	28.61
1-1/4 X 3/8	40	20	61.60	51.91
1-1/4 X 1/2	40	20	61.60	51.91
1-1/4 X 3/4	40	20	58.20	45.44
1-1/4 X 1	40	20	58.20	45.44
1-1/2 X 3/8	36	18	76.15	60.74
1-1/2 X 1/2	36	18	76.15	60.69
1-1/2 X 3/4	30	15	72.05	57.51
1-1/2 X 1	30	10	72.05	57.61
1-1/2 X 1-1/4	24	12	89.17	70.82
2 X 3/8	20	10	116.57	89.96
2 X 1/2	20	10	116.57	90.00
2 X 3/4	20	10	105.11	90.00
2 X 1	20	10	105.11	90.00
2 X 1-1/4	16	8	122.28	95.13
2 X 1-1/2	16	8	122.28	95.13
2-1/2 X 1/2	12	6	335.36	235.77
2-1/2 X 3/4	12	6	335.40	235.77
2-1/2 X 1	10	5	335.40	235.77
2-1/2 X 1-1/4	10	5	335.40	235.77
2-1/2 X 1-1/2	10	5	335.40	235.77
2-1/2 X 2	8	4	335.40	235.77
3 X 1/2	8	4	475.50	320.97
3 X 3/4	6	3	475.50	320.93
3 X 1	6	3	455.05	314.89
3 X 1-1/4	6	3	463.86	320.99
3 X 1-1/2	6	3	455.05	314.89
3 X 2	6	3	455.05	314.89
3 X 2-1/2	6	3	510.83	360.14
4 X 1/2	4	2	POA	POA
4 X 1	4	2	POA	POA
4 X 1-1/4	4	2	POA	812.16
4 X 1-1/2	4	2	910.49	638.39
4 X 2	3	-	878.53	637.63
4 X 2-1/2	3	-	1,002.96	715.01
4 X 3	2	1	910.54	637.63
6 X 2	1	-	POA	POA
6 X 2-1/2	1	-	POA	POA
6 X 3	1	-	3,934.60	3,043.15
6 X 4	1	-	POA	3,043.15
6 X 5	1	-	POA	POA

St. Louis

Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING TEES (Continued)				
1/2 x 1/4 x 1/2	120	30	38.37	24.40
1/2 x 3/8 x 3/8	-	-	POA	POA
1/2 x 3/8 x 1/2	-	-	POA	POA
3/4 x 1/2 x 1/2	100	25	30.69	23.28
3/4 x 1/2 x 3/4	80	20	30.69	25.70
3/4 x 1/2 x 1	72	18	45.32	25.70
1 x 1/2 x 1/2	80	20	45.32	32.56
1 x 1/2 x 3/4	80	20	46.29	37.97
1 x 1/2 x 1	60	15	45.32	32.56
1 x 3/4 x 1/2	80	20	45.79	32.27
1 x 3/4 x 3/4	60	15	45.32	30.14
1 x 3/4 x 1	60	30	45.32	32.56
1-1/4 x 1/2 x 1/2	50	25	70.82	57.79
1-1/4 x 1/2 x 3/4	50	25	70.82	57.79
1-1/4 x 1/2 x 1	40	20	70.82	57.86
1-1/4 x 1/2 x 1-1/4	40	20	70.82	59.30
1-1/4 x 3/4 x 1/2	40	10	70.85	59.30
1-1/4 x 3/4 x 3/4	40	10	77.53	59.30
1-1/4 x 3/4 x 1	40	10	74.27	55.29
1-1/4 x 3/4 x 1-1/4	40	10	67.00	53.90
1-1/4 x 1 x 1/2	40	20	70.68	55.22
1-1/4 x 1 x 3/4	40	20	70.82	52.11
1-1/4 x 1 x 1	40	20	70.82	52.11
1-1/4 x 1 x 1-1/4	30	15	72.13	60.42
1-1/2 x 1/2 x 1/2	-	-	POA	POA
1-1/2 x 1/2 x 3/4	48	12	POA	91.06
1-1/2 x 1/2 x 1	36	18	POA	POA
1-1/2 x 1/2 x 1-1/4	30	15	POA	73.46
1-1/2 x 1/2 x 1-1/2	24	12	97.83	70.82
1-1/2 x 3/4 x 1/2	30	15	129.22	112.87
1-1/2 x 3/4 x 3/4	30	15	129.22	112.87
1-1/2 x 3/4 x 1	-	-	89.17	79.68
1-1/2 x 3/4 x 1-1/4	24	12	129.20	112.86
1-1/2 x 3/4 x 1-1/2	24	12	89.17	70.82
1-1/2 x 1 x 1/2	30	15	POA	70.82
1-1/2 x 1 x 3/4	30	15	89.17	70.82
1-1/2 x 1 x 1	30	15	89.17	70.82
1-1/2 x 1 x 1-1/4	24	12	89.17	70.82
1-1/2 x 1 x 1-1/2	24	12	89.17	70.82
1-1/2 x 1-1/4 x 1/2	24	12	89.17	70.82
1-1/2 x 1-1/4 x 3/4	24	12	89.17	70.82
1-1/2 x 1-1/4 x 1	24	12	87.51	60.69

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING TEES (Continued)				
1-1/2 x 1-1/4 x 1-1/4	24	12	124.64	95.76
1-1/2 x 1-1/4 x 1-1/2	24	12	124.64	95.76
1-1/2 x 1-1/4 x 2	16	8	126.09	110.57
2 x 1/2 x 2	16	8	126.09	110.57
2 x 3/4 x 3/4	24	12	POA	108.42
2 x 3/4 x 2	16	8	123.74	108.43
2 x 1 x 1	24	12	126.09	110.57
2 x 1 x 1-1/4	-	-	126.09	110.57
2 x 1 x 1-1/2	20	10	POA	110.57
2 x 1 x 2	16	8	126.09	110.57
2 X 1-1/4 X 1	16	8	184.94	159.74
2 X 1-1/4 X 1-1/4	16	8	126.09	110.57
2 X 1-1/4 X 1-1/2	16	8	146.74	121.24
2 X 1-1/4 X 2	16	8	146.74	115.01
2 X 1-1/2 X 3/4	20	10	136.00	117.60
2 x 1-1/2 x 1	20	10	124.09	108.43
2 x 1-1/2 x 1-1/4	16	8	126.09	110.57
2 x 1-1/2 x 1-1/2	16	8	122.28	108.43
2 x 1-1/2 x 2	16	8	126.09	110.57
2-1/2 x 1-1/2 x 1-1/2	-	-	POA	POA
2-1/2 x 1-1/2 x 2	-	-	POA	386.03
2-1/2 x 1-1/2 x 2-1/2	-	-	561.68	343.83
2-1/2 x 2 x 2	10	5	POA	236.06
2-1/2 x 2 x 2-1/2	8	4	POA	POA
3 x 2 x 2	-	-	694.64	456.93
3 x 2 x 3	-	-	762.94	460.55
BULL HEAD TEES				
1/2 x 1/2 x 3/4	120	30	30.69	25.65
1/2 x 1/2 x 1	100	25	45.87	37.21
3/4 x 3/4 x 1	80	40	45.32	32.56
3/4 x 3/4 x 1-1/4	60	20	77.43	59.69
1 x 1 x 1-1/4	44	11	72.13	60.40
1 x 1 x 1-1/2	36	9	122.64	90.28
1 x 1 x 2	24	12	125.90	110.57
1-1/4 x 1-1/4 x 1-1/2	24	12	88.97	70.82
1-1/4 x 1-1/4 x 2	24	12	125.90	110.57
1-1/2 x 1-1/2 x 2	16	8	126.09	110.57
2 x 2 x 2-1/2	12	6	369.01	236.46
2 x 2 x 3	-	-	723.95	519.60
2-1/2 x 2-1/2 x 3	-	-	762.97	516.55
3 x 3 x 4	-	-	1,460.83	1,095.59

St. Louis
Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte
Eastern U.S.
800-438-6946
Fax: 704-331-0646
servicemetal.net

Houston
South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
SIDE OUTLET TEES				
1/2	100	25	POA	POA
3/4	60	15	POA	POA
1	40	20	POA	POA
1-1/4	24	12	POA	POA
1-1/2	-	-	POA	POA
2	-	-	POA	POA
SERVICE TEES				
3/8	-	-	POA	POA
1/2	120	40	POA	36.89
3/4	75	25	POA	50.02
1	40	20	POA	66.06
1-1/4	30	15	POA	109.04
1-1/2	24	12	POA	151.07
2	16	8	POA	287.01
3	-	-	POA	POA
CROSSES				
1/8	360	30	47.96	37.98
1/4	240	60	47.95	32.27
3/8	150	50	47.95	32.91
1/2	90	30	48.09	37.41
3/4	60	20	58.61	45.67
1	30	15	80.85	56.18
1-1/4	20	10	117.03	91.17
1-1/2	16	8	142.03	112.93
2	10	5	270.90	187.00
2-1/2	6	3	517.04	329.63
3	4	2	696.34	491.68
4	2	1	1,406.79	1,003.51
FLOOR FLANGES				
1/4	30	10	60.69	28.61
3/8	75	25	60.69	28.61
1/2	50	25	60.69	28.61
3/4	45	15	67.75	30.83
1	30	15	74.55	40.05
1-1/4	30	10	84.88	42.81
1-1/2	24	8	105.94	46.70
2	16	8	139.47	60.91
2-1/2	12	4	267.73	100.83
3	8	4	261.36	127.28
4	6	3	482.60	216.32
CAPS				
1/8	-	-	13.37	10.33
1/4	-	-	13.37	10.33

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
CAPS (Continued)				
3/8	720	60	12.96	10.33
1/2	300	75	9.98	7.90
3/4	160	40	14.41	10.68
1	100	25	15.79	12.88
1-1/4	80	20	22.92	16.83
1-1/2	54	18	29.24	22.92
2	36	12	37.00	29.94
2-1/2	40	20	117.65	74.42
3	24	12	142.53	110.57
3-1/2	-	-	POA	POA
4	12	6	283.03	172.58
5	10	5	POA	POA
6	4	2	1,029.91	689.32
8	-	-	POA	POA
COUPLINGS - BANDED				
1/8	840	70	18.01	15.53
1/4	480	40	16.78	13.17
3/8	480	40	16.78	13.17
1/2	240	60	13.51	10.68
3/4	150	50	15.53	12.62
1	100	25	25.56	19.05
1-1/4	64	16	35.19	24.45
1-1/2	36	18	40.12	32.63
2	24	12	58.54	47.52
2-1/2	16	8	178.76	129.43
3	12	-	238.90	174.88
3-1/2	-	-	POA	POA
4	6	3	507.44	348.79
5	2	1	POA	POA
6	2	-	1,322.79	935.67
REDUCING COUPLINGS				
1/4 X 1/8	600	50	15.79	12.76
3/8 X 1/8	420	35	15.93	12.76
3/8 X 1/4	360	30	15.79	12.76
1/2 X 1/8	300	75	17.73	12.67
1/2 X 1/4	300	75	14.41	11.64
1/2 X 3/8	240	60	13.51	11.02
3/4 X 1/8	210	70	18.15	14.83
3/4 X 1/4	180	45	17.81	14.41
3/4 X 3/8	180	45	17.81	14.41
3/4 X 1/2	180	60	15.73	12.62
1 X 1/4	135	45	31.53	22.31
1 X 3/8	120	30	32.22	22.16

St. Louis

Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING COUPLINGS (Continued)				
1 x 1/2	120	30	26.18	19.55
1 x 3/4	100	25	24.32	19.55
1-1/4 x 3/8	75	25	44.36	34.43
1-1/4 x 1/2	75	25	41.23	28.12
1-1/4 x 3/4	75	25	33.32	24.45
1-1/4 x 1	60	15	33.32	24.45
1-1/2 x 3/8	60	30	48.50	35.74
1-1/2 x 1/2	60	20	48.50	35.75
1-1/2 x 3/4	60	15	42.96	40.33
1-1/2 x 1	50	25	42.96	35.75
1-1/2 x 1-1/4	48	12	40.59	30.83
2 x 3/8	36	12	61.45	51.14
2 x 1/2	36	12	70.05	58.26
2 x 3/4	36	12	70.05	51.27
2 x 1	36	12	58.54	48.50
2 x 1-1/4	27	9	61.88	51.27
2 x 1-1/2	27	9	58.54	44.84
2-1/2 x 1/2	20	10	180.76	130.33
2-1/2 x 3/4	20	10	180.76	130.33
2-1/2 x 1	20	10	180.76	130.33
2-1/2 x 1-1/4	20	10	180.76	130.33
2-1/2 x 1-1/2	14	7	184.49	133.31
2-1/2 x 2	14	7	181.04	114.38
3 x 1/2	14	7	POA	POA
3 x 3/4	14	7	272.05	181.67
3 X 1	12	6	245.06	181.67
3 X 1-1/4	12	6	245.06	181.67
3 X 1-1/2	12	6	240.42	178.27
3 X 2	12	6	227.25	147.86
3 X 2-1/2	10	5	240.42	178.27
4 X 1/2	6	3	POA	POA
4 X 3/4	6	3	POA	POA
4 X 1	6	3	POA	POA
4 X 1-1/4	6	3	POA	357.32
4 X 1-1/2	6	3	572.08	357.36
4 X 2	6	3	520.39	357.36
4 X 2-1/2	6	3	520.90	357.36
4 X 3	6	3	520.39	357.36
4 X 3-1/2	-	-	POA	POA
5 X 2	4	-	POA	POA
5 X 2-1/2	-	-	POA	POA
5 X 3	2	-	POA	POA
5 X 4	2	-	POA	POA
6 X 2	2	-	1,697.44	1,210.32
6 X 2-1/2	2	-	POA	POA

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
REDUCING COUPLINGS (Continued)				
6 x 3	2	-	1,277.79	894.81
6 x 4	2	1	1,277.79	894.81
6 x 5	2	1	1,697.44	1,210.32
8 x 6	-	-	POA	POA
LOCKNUTS				
1/8	1,500	250	POA	POA
1/4	750	125	8.94	8.78
3/8	750	125	13.68	12.20
1/2	600	150	11.55	10.27
3/4	360	90	12.96	11.37
1	240	60	24.53	21.65
1-1/4	180	45	22.63	17.95
1-1/2	135	45	29.26	24.96
2	75	25	51.98	41.44
2-1/2	-	-	124.60	POA
3	-	-	143.24	114.37
4	-	-	POA	POA
EXTENSIONS PIECES				
3/8	-	-	POA	POA
1/2	-	-	POA	POA
3/4	-	-	POA	POA
1	-	-	POA	POA
1-1/4	-	-	POA	POA
1-1/2	-	-	POA	POA
2	-	-	POA	POA
WASTENUTS				
3/8	-	-	POA	POA
1/2	-	-	POA	POA
3/4	-	-	POA	POA
1	-	-	POA	POA
HEX BUSHINGS				
1/4 X 1/8	1,440	120	POA	POA
3/8 X 1/8	900	75	POA	POA
3/8 X 1/4	900	75	POA	POA
1/2 X 1/8	600	150	POA	POA
1/2 X 1/4	600	150	POA	POA
1/2 X 3/8	600	150	POA	POA
3/4 X 1/8	300	75	20.26	13.81
3/4 X 1/4	300	75	20.92	13.81
3/4 X 3/8	300	75	23.25	13.81
3/4 X 1/2	300	75	18.77	12.76
1 X 1/8	200	50	22.11	16.01
1 X 1/4	200	50	24.81	17.12
1 X 3/8	200	50	38.86	17.61
1 X 1/2	200	50	22.45	13.17
1 X 3/4	200	50	21.27	13.17

St. Louis

Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 150 LB STANDARD

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
HEX BUSHINGS (Continued)				
1-1/4 x 1/4	120	30	35.82	22.24
1-1/4 x 3/8	120	30	35.82	19.75
1-1/4 x 1/2	120	30	31.46	18.85
1-1/4 x 3/4	120	30	28.61	16.97
1-1/4 x 1	120	30	28.61	16.97
1-1/2 x 1/8	75	25	45.44	26.00
1-1/2 x 1/4	75	25	45.44	26.04
1-1/2 x 3/8	75	25	45.44	26.04
1-1/2 x 1/2	75	25	41.57	21.48
1-1/2 x 3/4	75	25	41.57	21.48
1-1/2 x 1	75	25	37.48	18.85
1-1/2 x 1-1/4	75	25	34.58	21.54
2 x 1/4	60	20	52.93	36.78
2 x 3/8	60	20	52.93	32.42
2 x 1/2	60	20	51.91	32.42
2 x 3/4	60	20	48.29	27.43
2 x 1	60	20	45.67	25.70
2 x 1-1/4	60	20	45.67	25.70
2 x 1-1/2	60	20	40.05	28.61
2-1/2 x 1/2	30	15	84.61	46.70
2-1/2 x 3/4	30	15	75.11	46.70
2-1/2 x 1	30	15	75.11	46.70
2-1/2 x 1-1/4	30	15	75.11	46.70
2-1/2 x 1-1/2	30	15	73.72	43.51
2-1/2 x 2	30	15	65.33	43.16
3 x 1/2	24	12	143.00	89.17
3 x 3/4	24	12	99.14	64.58
3 x 1	24	12	99.14	64.58
3 x 1-1/4	24	12	99.14	64.58
3 x 1-1/2	24	12	97.21	63.33
3 x 2	24	12	88.14	59.17
3 x 2-1/2	24	12	93.25	60.08
3-1/2 x 1-1/2	16	8	POA	POA
3-1/2 x 2	16	8	POA	POA
3-1/2 x 2-1/2	-	-	POA	POA
3-1/2 x 3	16	8	POA	POA
4 x 1/2	10	5	POA	POA
4 x 3/4	10	5	207.79	123.87
4 x 1	10	5	207.79	123.87
4 x 1-1/4	10	5	207.79	123.87
4 x 1-1/2	10	5	207.79	123.87
4 x 2	10	5	183.32	117.23
4 x 2-1/2	10	5	207.79	117.23
4 x 3	10	5	194.06	117.23
4 x 3-1/2	-	-	301.02	117.22
5 x 2	4	2	POA	POA
5 x 2-1/2	-	-	POA	POA
5 x 3	4	2	POA	POA

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
HEX BUSHINGS (Continued)				
5 x 4	4	2	POA	POA
6 x 2	4	2	395.34	309.67
6 x 2-1/2	4	2	360.60	360.60
6 x 3	4	2	407.10	309.67
6 x 4	4	2	399.34	309.67
6 x 5	4	2	589.06	445.74
8 x 6	-	-	POA	POA
PLUGS, SQUARE HEAD				
1/8	3,600	300	10.27	6.78
1/4	1,800	150	11.04	6.77
3/8	1,200	100	11.04	6.77
1/2	600	50	13.85	7.22
3/4	360	30	13.85	7.22
1	240	20	15.18	9.08
1-1/4	120	40	23.35	11.43
1-1/2	90	30	31.46	15.87
2	60	20	39.97	22.66
2-1/2	32	16	78.00	41.23
3	32	16	110.65	56.61
3-1/2	-	-	POA	POA
4	12	6	229.74	118.76
5	10	5	POA	POA
6	10	5	455.69	315.94
8	-	-	POA	POA
UNIONS, BRASS SEAT				
1/8	240	60	67.14	56.88
1/4	240	20	64.85	54.10
3/8	160	40	43.16	36.52
1/2	100	50	43.59	34.93
3/4	70	35	51.77	41.57
1	40	20	64.36	54.33
1-1/4	30	15	87.44	72.05
1-1/2	20	10	112.04	88.00
2	12	6	149.59	132.89
2-1/2	8	4	416.12	320.30
3	8	4	591.34	388.82
4	4	2	1,284.34	961.42
LATERALS				
1/2	30	120	32.35	30.27
3/4	-	-	44.48	39.99
1	-	-	69.55	53.71
1-1/4	-	-	114.70	92.86
1-1/2	-	-	156.85	126.25
2	-	-	252.40	203.85
2-1/2	-	-	997.49	426.02
3	-	-	997.49	717.59
4	-	-	1,646.15	1,240.84

St. Louis
Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte
Eastern U.S.
800-438-6946
Fax: 704-331-0646
servicemetal.net

Houston
South & Southwest U.S.
888-893-0399
Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 300 LB EXTRA HEAVY FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
XH 90° ELBOWS				
1/4	360	180	73.38	43.45
3/8	240	120	74.89	38.60
1/2	80	40	89.17	49.94
3/4	60	30	100.06	56.46
1	40	20	128.32	72.13
1-1/4	24	12	201.48	105.25
1-1/2	16	8	218.45	124.01
2	12	6	367.07	178.40
2-1/2	8	4	787.01	462.41
3	4	2	963.53	531.06
4	2	1	2,800.18	1,213.10
XH 45° ELBOWS				
1/4	360	180	86.82	64.58
3/8	240	120	132.33	64.58
1/2	80	40	132.33	71.85
3/4	60	30	153.05	79.88
1	40	20	167.26	88.40
1-1/4	24	12	259.61	141.63
1-1/2	16	8	335.82	184.64
2	12	6	465.10	278.93
2-1/2	8	4	1,208.60	605.95
3	4	2	1,588.48	796.83
4	2	1	2,295.10	1,809.76
XH 90° STREET ELBOWS				
1/4	360	180	77.25	51.34
3/8	240	120	77.25	57.51
1/2	80	40	151.33	67.07
3/4	60	30	160.68	95.27
1	40	20	210.13	111.76
1-1/4	24	12	274.43	153.67
1-1/2	16	8	352.80	189.90
2	12	6	551.36	295.56
2-1/2	-	-	POA	POA
3	-	-	1,658.32	669.00
XH TEES - STRAIGHT				
1/4	240	120	104.41	54.67
3/8	180	90	106.35	57.86
1/2	60	30	133.17	73.65
3/4	40	20	146.69	79.48
1	24	12	180.76	95.61
1-1/4	20	10	258.03	136.97
1-1/2	12	6	268.33	159.84
2	8	4	429.01	235.85

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
XH TEES - STRAIGHT (Continued)				
2-1/2	4	2	1,318.68	557.46
3	2	1	1,537.27	817.20
4	2	1	3,838.75	2,264.21
XH TEES - REDUCING				
3/4 x 1/2	60	30	194.74	117.44
1 x 1/2	32	16	232.52	143.56
1 x 3/4	30	15	255.81	143.56
1-1/4 x 1/2	24	12	365.41	213.40
1-1/4 x 3/4	24	12	339.43	191.02
1-1/4 x 1	24	12	339.43	198.29
1-1/2 x 1/2	20	10	407.39	250.53
1-1/2 x 3/4	20	10	416.60	232.52
1-1/2 x 1	20	10	416.60	232.52
1-1/2 x 1-1/4	16	8	535.63	254.68
2 x 1/2	12	6	664.50	374.83
2 x 3/4	12	6	664.50	374.83
2 x 1	10	5	561.54	374.83
2 X 1-1/4	10	5	780.08	374.83
2 X 1 - 1/2	10	5	617.18	348.50
2-1/2 x 2	8	4	1,012.24	854.56
3 x 2	4	2	2,690.09	1,585.78
XH COUPLINGS				
1/4	400	200	48.14	39.15
3/8	300	150	69.29	39.15
1/2	80	40	71.08	43.65
3/4	60	30	80.31	50.23
1	40	20	106.15	57.44
1-1/4	24	12	138.37	68.31
1-1/2	24	12	195.32	102.27
2	12	6	236.54	147.22
2-1/2	8	4	604.85	263.77
3	4	2	720.07	379.89
4	4	2	1,111.32	505.31
XH REDUCING COUPLINGS				
3/8 x 1/4	-	-	69.34	51.68
1/2 x 1/4	200	100	100.45	62.22
1/2 x 3/8	200	100	100.45	62.22
3/4 x 3/8	120	60	POA	86.41
3/4 x 1/2	120	60	121.88	63.68
1 x 1/2	100	50	148.48	77.53
1 x 3/4	80	40	145.56	76.07
1-1/4 x 1/2	48	24	233.84	154.35
1-1/4 x 3/4	40	20	181.93	103.86

St. Louis

Midwest & Western U.S.
800-325-7820
 Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
 Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
 Fax: 281-499-0508



MALLEABLE IRON PIPE FITTINGS: 300 LB EXTRA HEAVY FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
XH REDUCING COUPLINGS (Continued)				
1-1/4 x 1	40	20	165.39	100.06
1-1/2 x 1/2	48	24	289.82	160.39
1-1/2 x 3/4	40	20	225.46	142.38
1-1/2 x 1	36	18	225.46	137.12
1-1/2 1-1/4	36	18	248.66	155.89
2 x 1/2	24	12	463.79	231.47
2 x 3/4	24	12	463.79	231.47
2 x 1	24	12	361.46	198.78
2 x 1-1/4	16	8	463.79	234.18
2 x 1-1/2	16	8	322.66	197.18
2-1/2 x 1-1/2	8	4	855.94	373.16
2-1/2 x 2	12	6	855.94	373.16
3 x 2	8	4	1,294.29	546.87
3 x 2-1/2	8	4	1,294.29	567.92
4 x 3	4	2	2,018.31	1,153.93
XH CAPS				
1/4	-	-	49.13	40.05
3/8	240	120	49.13	40.05
1/2	160	80	72.05	39.83
3/4	100	50	86.12	50.23
1	60	30	118.20	65.89
1-1/4	40	20	139.82	72.95
1-1/2	30	15	196.01	106.63
2	20	10	271.25	148.06
2-1/2	16	8	POA	277.63
3	10	5	852.40	383.14
4	6	3	1,119.73	629.21

SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK
XH UNION				
1/4	240	120	113.76	88.63
3/8	180	90	POA	89.66
1/2	80	40	110.02	72.53
3/4	60	30	119.31	80.31
1	36	18	158.26	104.83
1-1/4	24	12	220.67	171.07
1-1/2	20	10	265.64	179.10
2	12	6	318.85	221.77
2-1/2	8	4	889.41	715.01
3	6	3	1,504.22	925.01
4	2	1	3,772.88	2,935.86

St. Louis

Midwest & Western U.S.
800-325-7820
Fax: 314-231-1821

Charlotte

Eastern U.S.
800-438-6946
Fax: 704-331-0646

Houston

South & Southwest U.S.
888-893-0399
Fax: 281-499-0508