

*The Best Products, The Best Service...*

# **SERVICE METAL**

**ONE CALL GETS IT ALL**

June 1<sup>st</sup>, 2011



## **Malleable Iron Pipe Fittings**

**150 lb & 300 lb**



**Service Metal Products Co.**  
4001 N. Kingshighway  
St. Louis, MO 63115

**TOLL FREE: 800-325-7820**

**(314) 421-1441 Fax: (314) 231-1821**



**Service Metal of the Carolinas**  
2320 Toomey Avenue  
Charlotte, NC 28203

**TOLL FREE: 800-438-6946**

**(704) 331-0151 Fax: (704) 331-0646**

**[www.servicemetal.net](http://www.servicemetal.net)**



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
ELBOWS 90°					REDUCING ELBOWS 90° (CONTINUED)				
1/8	600	50	10.12	7.38	2-1/2 X 1-1/2	12	6	189.48	120.30
1/4	420	35	9.62	7.02	2-1/2 X 2	12	6	168.71	118.23
3/8	360	90	9.62	7.02	3 X 1/2	—	—	POA	228.60
1/2	200	50	6.36	5.26	3 X 3/4	—	—	POA	228.60
3/4	105	35	7.65	6.36	3 X 1	8	4	266.43	191.04
1	60	20	14.34	11.18	3 X 1-1/4	—	—	313.06	228.60
1-1/4	40	20	22.11	18.11	3 X 1-1/2	8	4	266.43	191.03
1-1/2	30	15	29.13	23.87	3 X 2	8	4	266.43	191.03
2	16	8	48.54	40.93	3 X 2-1/2	8	4	266.43	191.03
2-1/2	12	—	120.97	88.83	4 X 1-1/2	—	—	606.73	390.72
3	8	—	203.33	132.49	4 X 2	4	2	517.68	327.40
3-1/2	4	—	POA	POA	4 X 2-1/2	2	1	517.68	327.40
4	2	—	351.95	281.75	4 X 3	2	1	517.68	327.40
5	2	—	POA	POA	ELBOWS 45°				
6	1	—	1491.56	1053.93	1/8	600	50	14.52	10.66
8	1	—	POA	POA	1/4	360	30	12.93	10.89
REDUCING ELBOWS 90°					3/8	300	75	12.87	9.90
1/4 X 1/8	480	40	16.22	13.72	1/2	200	50	9.90	8.60
3/8 X 1/8	420	105	20.48	15.90	3/4	120	40	13.85	10.49
3/8 X 1/4	360	90	14.47	10.12	1	60	20	15.89	13.37
1/2 X 1/8	240	60	11.90	POA	1-1/4	40	20	29.00	23.37
1/2 X 1/4	240	60	11.90	9.83	1-1/2	30	10	34.57	28.85
1/2 X 3/8	240	60	11.15	9.61	2	24	12	51.58	43.44
3/4 X 1/8	160	40	17.16	13.17	2-1/2	12	—	174.72	122.61
3/4 X 1/4	160	40	17.16	13.17	3	10	—	254.02	159.19
3/4 X 3/8	160	40	17.16	13.17	3-1/2	—	—	—	—
3/4 X 1/2	160	40	12.96	9.96	4	4	—	425.74	309.27
1 X 1/4	100	25	26.89	20.79	5	2	—	POA	POA
1 X 3/8	100	25	26.89	20.79	6	1	—	1491.56	1053.93
1 X 1/2	100	25	17.54	13.53	8	—	—	POA	POA
1 X 3/4	100	50	16.56	12.74	STREET ELBOW 90°				
1-1/4 X 1/2	80	20	33.98	27.52	1/8	720	60	13.67	10.65
1-1/4 X 3/4	60	15	33.31	23.55	1/4	420	35	13.22	10.65
1-1/4 X 1	40	10	27.73	20.75	3/8	240	60	13.22	10.65
1-1/2 X 1/2	60	15	43.56	34.77	1/2	180	60	13.65	10.91
1-1/2 X 3/4	40	10	42.66	34.02	3/4	105	35	13.22	10.65
1-1/2 X 1	40	10	42.66	34.02	1	90	45	18.01	15.30
1-1/2 X 1-1/4	30	15	42.66	34.02	1-1/4	50	25	30.28	23.37
2 X 1/2	40	10	60.45	50.03	1-1/2	27	9	37.29	31.17
2 X 3/4	36	9	60.45	50.03	2	16	8	64.65	50.57
2 X 1	28	14	59.25	49.05	2-1/2	10	5	175.32	124.83
2 X 1-1/4	20	10	59.25	49.05	3	8	—	264.65	190.48
2 X 1-1/2	20	10	51.76	43.11	4	4	—	436.86	310.24
2-1/2 X 1/2	20	10	POA	POA	6	1	—	1182.64	821.66
2-1/2 X 3/4	20	10	189.48	120.30	REDUCING STREET ELBOW 90°				
2-1/2 X 1	16	8	189.48	120.30	3/4 x 1/2	—	—	POA	POA
2-1/2 1-1/4	16	8	189.48	120.30	1 x 3/4	—	—	POA	POA
					1-1/4 x 1	—	—	POA	POA

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115

**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821



Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203

**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
<b>STREET ELBOWS 45°</b>					<b>REDUCING TEES (CONTINUED)</b>				
1/8	840	70	18.91	16.53	3/4 X 1/4	100	25	18.62	16.47
1/4	480	40	16.22	12.29	3/4 X 3/8	100	25	18.62	17.50
3/8	400	100	18.52	13.98	3/4 X 1/2	80	20	17.92	15.00
1/2	225	75	14.30	11.21	1 X 1/4	80	20	30.37	21.01
3/4	120	40	23.14	17.25	1 X 3/8	60	15	30.91	23.88
1	75	25	28.61	20.01	1 X 1/2	60	15	25.14	19.09
1-1/4	40	10	42.87	34.65	1 X 3/4	48	12	25.14	19.09
1-1/2	30	10	51.92	43.01	1-1/4 X 3/8	40	20	51.80	34.65
2	24	12	89.20	72.52	1-1/4 X 1/2	40	20	41.13	34.65
2-1/2	12	6	209.75	154.32	1-1/4 X 3/4	40	20	38.89	30.37
3	6	3	313.80	236.46	1-1/4 X 1	40	20	38.89	30.37
4	4	—	510.24	442.80	1-1/2 X 3/8	36	18	50.88	40.58
<b>SIDE OUTLET 90°</b>					1-1/2 X 1/2	36	18	50.88	40.56
1/8	—	—	POA	POA	1-1/2 X 3/4	30	15	48.15	38.39
1/4	—	—	34.80	23.30	1-1/2 X 1	30	10	48.14	38.39
3/8	—	—	34.80	23.30	1-1/2 X 1-1/4	24	12	57.94	47.29
1/2	135	45	34.80	23.30	2 X 3/8	20	10	77.89	60.11
3/4	80	20	32.10	25.05	2 X 1/2	20	10	84.25	60.11
1	40	20	52.37	48.90	2 X 3/4	20	10	70.21	60.11
1-1/4	—	—	72.17	55.44	2 X 1	20	10	70.21	60.11
1-1/2	—	—	92.03	68.71	2 X 1-1/4	16	8	81.68	63.55
2	—	—	140.12	118.09	2 X 1-1/2	16	8	81.68	63.55
<b>TEES</b>					2-1/2 X 1/2	12	6	224.09	157.51
1/8	480	120	14.47	11.24	2-1/2 X 3/4	12	6	224.09	157.51
1/4	300	75	12.55	10.64	2-1/2 X 1	10	5	224.09	157.51
3/8	180	45	12.55	10.64	2-1/2 X 1-1/4	10	5	224.09	157.51
1/2	120	40	7.72	6.87	2-1/2 X 1-1/2	10	5	224.09	157.51
3/4	70	35	12.97	9.72	2-1/2 X 2	8	4	224.09	157.51
1	40	20	21.23	17.15	3 X 1/2	8	4	317.71	214.48
1-1/4	28	14	33.54	27.85	3 X 3/4	6	3	317.71	214.42
1-1/2	24	12	41.87	34.65	3 X 1	6	3	304.07	210.39
2	16	8	69.89	58.88	3 X 1-1/4	6	3	309.93	214.48
2-1/2	8	4	187.70	121.12	3 X 1-1/2	6	3	304.07	210.39
3	6	—	220.10	181.83	3 X 2	6	3	304.07	210.39
3-1/2	—	—	POA	POA	3 X 2-1/2	6	3	341.34	240.63
4	2	1	520.42	426.91	4 X 1/2	4	2	650.28	542.69
5	1	—	POA	POA	4 X 1	4	2	650.28	542.69
6	1	—	1491.70	1219.75	4 X 1-1/4	4	2	650.28	542.69
8	1	—	POA	POA	4 X 1-1/2	4	2	608.40	426.57
<b>REDUCING TEES</b>					4 X 2	3	—	587.02	426.05
1/4 X 1/8	300	25	POA	POA	4 X 2-1/2	3	—	670.18	477.77
3/8 X 1/8	360	90	18.52	14.12	4 X 3	2	1	608.40	426.05
3/8 X 1/4	240	60	18.52	14.12	6 X 2	1	—	2629.13	2033.45
1/2 X 1/8	160	40	—	14.58	6 X 2-1/2	1	—	2629.13	2033.45
1/2 X 1/4	160	40	14.91	11.62	6 X 3	1	—	2629.13	2033.45
1/2 X 3/8	160	40	18.95	14.61	6 X 4	1	—	2629.13	2033.45
					6 X 5	1	—	2629.13	2033.45

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115  
**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMC** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203  
**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
REDUCING TEES (CONTINUED)					REDUCING TEES (CONTINUED)				
1/2 X 1/4 X 1/2	120	30	25.64	16.31	1-1/2 X 1-1/4 X 1	24	12	58.44	40.56
1/2 X 3/8 X 3/8	—	—	—	—	1-1/2 X 1-1/4 X 1-1/4	24	12	83.27	63.95
1/2 X 3/8 X 1/2	—	—	—	—	1-1/2 X 1-1/4 X 1-1/2	24	12	83.27	63.95
3/4 X 1/2 X 1/2	100	25	20.48	15.55	1-1/2 X 1-1/4 X 2	16	8	84.25	73.89
3/4 X 1/2 X 3/4	80	20	20.48	17.15	2 X 1/2 X 2	16	8	84.25	73.89
3/4 X 1/2 X 1	72	18	30.28	18.24	2 X 3/4 X 3/4	24	12	82.65	72.44
1 X 1/2 X 1/2	80	20	30.28	21.75	2 X 3/4 X 2	16	8	82.65	72.44
1 X 1/2 X 3/4	80	20	30.91	25.35	2 X 1 X 1	24	12	84.25	73.89
1 X 1/2 X 1	60	15	30.28	21.75	2 X 1 X 1-1/4	—	—	84.25	73.89
1 X 3/4 X 1/2	80	20	30.60	21.54	2 X 1 X 1-1/2	20	10	84.25	73.89
1 X 3/4 X 3/4	60	15	30.28	20.12	2 X 1 X 2	16	8	84.25	73.89
1 X 3/4 X 1	60	30	30.28	21.75	2 X 1-1/4 X 1	16	8	123.58	106.74
1-1/4 X 1/2 X 1/2	50	25	47.30	38.62	2 X 1-1/4 X 1-1/4	16	8	84.25	73.89
1-1/4 X 1/2 X 3/4	50	25	47.30	38.62	2 X 1-1/4 X 1-1/2	16	8	98.06	81.01
1-1/4 X 1/2 X 1	40	20	47.29	38.62	2 X 1-1/4 X 2	16	8	98.06	76.82
1-1/4 X 1/2 X 1-1/4	40	20	47.29	39.63	2 X 1-1/2 X 3/4	20	10	90.88	78.58
1-1/4 X 3/4 X 1/2	40	10	47.34	39.63	2 X 1-1/2 X 1	20	10	82.88	72.44
1-1/4 X 3/4 X 3/4	40	10	51.80	39.63	2 X 1-1/2 X 1-1/4	16	8	84.25	73.89
1-1/4 X 3/4 X 1	40	10	49.62	36.94	2 X 1-1/2 X 1-1/2	16	8	81.68	72.44
1-1/4 X 3/4 X 1-1/4	40	10	44.73	36.00	2 X 1-1/2 X 2	16	8	84.25	73.89
1-1/4 X 1 X 1/2	40	20	47.19	36.86	2-1/2 X 1-1/2 X 1-1/2	—	—	476.95	341.11
1-1/4 X 1 X 3/4	40	20	47.29	34.81	2-1/2 X 1-1/2 X 2	—	—	POA	257.94
1-1/4 X 1 X 1	40	20	47.29	34.81	2-1/2 X 1-1/2 X 2-1/2	—	—	375.32	229.75
1-1/4 X 1 X 1-1/4	30	15	48.16	40.35	2-1/2 X 2 X 2	10	5	224.53	157.73
1-1/2 X 1/2 X 1/2	—	—	70.05	60.84	2-1/2 X 2 X 2-1/2	8	4	246.55	158.00
1-1/2 X 1/2 X 3/4	48	12	70.05	60.84	3 X 2 X 2	—	—	464.17	305.32
1-1/2 X 1/2 X 1	36	18	70.05	60.84	3 X 2 X 3	—	—	509.80	307.74
1-1/2 X 1/2 X 1-1/4	30	15	65.37	49.08	BULL HEAD TEES				
1-1/2 X 1/2 X 1-1/2	24	12	65.37	47.29	1/2 X 1/2 X 3/4	120	30	20.48	17.14
1-1/2 X 3/4 X 1/2	30	15	86.32	75.42	1/2 X 1/2 X 1	100	25	30.61	24.84
1-1/2 X 3/4 X 3/4	30	15	86.32	75.42	3/4 X 3/4 X 1	80	40	30.28	21.75
1-1/2 X 3/4 X 1	—	—	59.58	53.24	3/4 X 3/4 X 1-1/4	60	20	51.74	39.88
1-1/2 X 3/4 X 1-1/4	24	12	86.32	75.41	1 X 1 X 1-1/4	44	11	48.16	40.35
1-1/2 X 3/4 X 1-1/2	24	12	59.58	47.30	1 X 1 X 1-1/2	36	9	81.93	60.31
1-1/2 X 1 X 1/2	30	15	59.58	47.29	1 X 1 X 2	24	12	84.10	73.89
1-1/2 X 1 X 3/4	30	15	59.58	47.29	1-1/4 X 1-1/4 X 1-1/2	24	12	59.42	47.29
1-1/2 X 1 X 1	30	15	59.58	47.29	1-1/4 X 1-1/4 X 2	24	12	84.10	73.89
1-1/2 X 1 X 1-1/4	24	12	59.58	47.29	1-1/2 X 1-1/2 X 2	16	8	84.25	73.89
1-1/2 X 1 X 1-1/2	24	12	59.58	47.29	2 X 2 X 2-1/2	12	6	246.55	158.00
1-1/2 X 1-1/4 X 1/2	24	12	59.58	47.30	2 X 2 X 3	—	—	483.75	347.19
1-1/2 X 1-1/4 X 3/4	24	12	59.58	47.30	2-1/2 X 2-1/2 X 3	—	—	509.82	345.17
					3 X 3 X 4	—	—	976.14	732.08

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115  
**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMC** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203  
**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
<b>SIDE OUTLET TEES</b>					<b>CAPS (CONTINUED)</b>				
1/2	100	25	38.48	30.28	3/8	720	60	8.65	6.9
3/4	60	15	48.57	38.69	1/2	300	75	6.64	5.28
1	40	20	68.82	54.08	3/4	160	40	9.59	7.13
1-1/4	24	12	122.56	97.17	1	100	25	10.52	8.60
1-1/2	—	—	128.93	103.80	1-1/4	80	20	15.30	11.24
2	—	—	197.37	140.46	1-1/2	54	18	19.54	15.29
<b>SERVICE TEES</b>					2	36	12	24.69	20.00
3/8	—	—	—	POA	2-1/2	40	20	78.58	49.69
1/2	120	40	37.42	24.66	3	24	12	95.20	73.89
3/4	75	25	40.37	33.42	3-1/2	—	—	POA	POA
1	40	20	63.68	44.14	4	12	6	250.98	115.30
1-1/4	30	15	106.46	72.86	5	10	5	POA	POA
1-1/2	24	12	144.10	100.95	6	4	2	688.17	460.58
2	16	8	283.72	191.78	8	—	—	POA	POA
3	—	—	POA	—	<b>COUPLINGS — BANDED</b>				
<b>CROSSES</b>					1/8	840	70	12.00	10.36
1/8	360	30	32.05	25.38	1/4	480	40	11.18	8.77
1/4	240	60	32.03	21.54	3/8	480	40	11.18	8.77
3/8	150	50	32.03	21.98	1/2	240	60	8.99	7.13
1/2	90	30	32.11	24.99	3/4	150	50	10.37	8.41
3/4	60	20	39.14	30.50	1	100	25	17.07	12.73
1	30	15	54.03	37.51	1-1/4	64	16	23.52	16.31
1-1/4	20	10	78.17	60.93	1-1/2	36	18	26.79	21.78
1-1/2	16	8	94.91	75.46	2	24	12	39.10	31.75
2	10	5	180.98	124.93	2-1/2	16	8	119.43	86.46
2-1/2	6	3	345.49	220.26	3	12	—	159.62	116.82
3	4	2	465.31	328.54	3-1/2	—	—	POA	POA
4	2	1	940.03	670.55	4	6	3	339.04	233.04
<b>FLOOR FLANGES</b>					5	2	1	POA	POA
1/4	30	10	40.55	19.12	6	2	—	883.90	625.22
3/8	75	25	40.55	19.12	<b>REDUCING COUPLINGS</b>				
1/2	50	25	40.55	19.12	1/4 X 1/8	600	50	10.52	8.52
3/4	45	15	45.28	20.60	3/8 X 1/8	420	35	10.64	8.52
1	30	15	49.80	26.72	3/8 X 1/4	360	30	10.52	8.52
1-1/4	30	10	56.69	28.61	1/2 X 1/8	300	75	11.83	8.46
1-1/2	24	8	70.75	31.19	1/2 X 1/4	300	75	9.59	7.77
2	16	8	93.19	40.66	1/2 X 3/8	240	60	8.99	7.34
2-1/2	12	4	178.90	67.37	3/4 X 1/8	210	70	12.11	9.90
3	8	4	174.64	85.05	3/4 X 1/4	180	45	11.87	9.62
4	6	3	322.48	144.54	3/4 X 3/8	180	45	11.87	9.62
<b>CAPS</b>					3/4 X 1/2	180	60	10.49	8.41
1/8	—	—	8.91	6.9	1 X 1/4	135	45	21.05	14.91
1/4	—	—	8.91	6.9	1 X 3/8	120	30	21.51	15.14

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115  
**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMC** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203  
**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
<b>REDUCING COUPLINGS (CONTINUED)</b>					<b>REDUCING COUPLINGS (CONTINUED)</b>				
1 X 1/2	120	30	17.50	13.06	6 X 3	2	—	853.83	597.92
1 X 3/4	100	25	16.22	13.06	6 X 4	2	1	853.83	597.92
1-1/4 X 3/8	75	25	29.64	23.00	6 X 5	2	1	1134.24	808.74
1-1/4 X 1/2	75	25	27.55	18.78	8 X 6	—	—	POA	POA
1-1/4 X 3/4	75	25	22.25	16.31	<b>LOCKNUTS</b>				
1-1/4 X 1	60	15	22.25	16.31	1/8	1,500	250	POA	5.86
1-1/2 X 3/8	60	30	32.41	23.88	1/4	750	125	5.97	5.86
1-1/2 X 1/2	60	20	32.41	23.88	3/8	750	125	9.15	8.16
1-1/2 X 3/4	60	15	28.67	26.92	1/2	600	150	7.71	6.87
1-1/2 X 1	50	25	28.67	23.88	3/4	360	90	8.66	7.59
1-1/2 X 1-1/4	48	12	27.10	20.60	1	240	60	16.39	14.46
2 X 3/8	36	12	41.06	34.18	1-1/4	180	45	15.12	11.99
2 X 1/2	36	12	46.77	38.92	1-1/2	135	45	19.56	16.68
2 X 3/4	36	12	46.77	34.24	2	75	25	34.73	27.69
2 X 1	36	12	39.10	32.40	2-1/2	—	—	83.26	48.87
2 X 1-1/4	27	9	41.31	34.24	3	—	—	95.71	76.43
2 X 1-1/2	27	9	39.10	29.94	4	—	—	137.10	114.17
2-1/2 X 1/2	20	10	120.78	87.06	<b>EXTENSION PIECES</b>				
2-1/2 X 3/4	20	10	120.78	87.06	3/8	—	—	POA	POA
2-1/2 X 1	20	10	120.78	87.06	1/2	—	—	32.10	21.04
2-1/2 X 1-1/4	20	10	120.78	87.06	3/4	—	—	48.02	31.02
2-1/2 X 1-1/2	14	7	123.28	89.06	1	—	—	60.11	44.73
2-1/2 X 2	14	7	120.95	76.40	1-1/4	—	—	63.97	51.15
3 X 1/2	14	7	233.93	232.06	1-1/2	—	—	82.97	61.17
3 X 3/4	14	7	181.79	121.36	2	—	—	107.29	71.56
3 X 1	12	6	163.74	121.36	<b>WASTENUTS</b>				
3 X 1-1/4	12	6	163.74	121.36	3/8	—	—	—	—
3 X 1-1/2	12	6	160.64	119.10	1/2	—	—	POA	POA
3 X 2	12	6	151.84	98.76	3/4	—	—	POA	POA
3 X 2-1/2	10	5	160.64	119.10	1	—	—	POA	POA
4 X 1/2	6	3	477.81	298.41	<b>HEX BUSHINGS</b>				
4 X 3/4	6	3	477.81	298.41	1/4 X 1/8	1,440	120	13.55	9.40
4 X 1	6	3	382.27	238.77	3/8 X 1/8	900	75	13.55	9.40
4 X 1-1/4	6	3	382.27	238.77	3/8 X 1/4	900	75	13.55	9.40
4 X 1-1/2	6	3	382.27	238.77	1/2 X 1/8	600	150	13.55	9.40
4 X 2	6	3	347.70	238.77	1/2 X 1/4	600	150	13.55	9.40
4 X 2-1/2	6	3	347.70	238.77	1/2 X 3/8	600	150	13.55	9.40
4 X 3	6	3	347.70	238.77	3/4 X 1/8	300	75	13.55	9.22
4 X 3-1/2	—	—	—	—	3/4 X 1/4	300	75	13.98	9.22
5 X 2	4	—	POA	POA	3/4 X 3/8	300	75	15.54	9.22
5 X 2-1/2	—	—	POA	POA	3/4 X 1/2	300	75	12.55	8.52
5 X 3	2	—	POA	POA	1 X 1/8	200	50	14.74	10.66
5 X 4	2	—	POA	POA	1 X 1/4	200	50	16.56	11.40
6 X 2	2	—	1134.24	808.74	1 X 3/8	200	50	25.94	11.72
6 X 2-1/2	2	—	1134.24	808.74	1 X 1/2	200	50	15.00	8.77
					1 X 3/4	200	50	14.18	8.77

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115  
**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMA** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203  
**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

150 LB. STANDARD FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
HEX BUSHINGS (CONTINUED)					HEX BUSHINGS (CONTINUED)				
1-1/4 X 1/4	120	30	23.90	14.84	5 X 4	4	2	POA	POA
1-1/4 X 3/8	120	30	23.90	13.17	6 X 2	4	2	264.18	206.93
1-1/4 X 1/2	120	30	21.00	12.59	6 X 2-1/2	4	2	240.96	240.96
1-1/4 X 3/4	120	30	19.12	11.31	6 X 3	4	2	272.04	206.93
1-1/4 X 1	120	30	19.12	11.31	6 X 4	4	2	266.84	206.93
1-1/2 X 1/8	75	25	30.37	17.38	6 X 5	4	2	393.61	297.85
1-1/2 X 1/4	75	25	30.37	17.38	8 X 6	—	—	—	—
1-1/2 X 3/8	75	25	30.37	17.38	PLUGS, SQUARE HEAD				
1-1/2 X 1/2	75	25	27.75	14.34	1/8	3,600	300	6.87	4.53
1-1/2 X 3/4	75	25	27.75	14.34	1/4	1,800	150	6.94	4.24
1-1/2 X 1	75	25	25.01	12.58	3/8	1,200	100	6.94	4.24
1-1/2 X 1-1/4	75	25	23.09	14.37	1/2	600	50	9.24	4.78
2 X 1/4	60	20	35.37	24.55	3/4	360	30	9.24	4.78
2 X 3/8	60	20	35.37	21.76	1	240	20	10.12	6.03
2 X 1/2	60	20	34.66	21.76	1-1/4	120	40	15.60	7.60
2 X 3/4	60	20	32.27	18.31	1-1/2	90	30	19.80	10.58
2 X 1	60	20	30.51	17.16	2	60	20	25.13	15.12
2 X 1-1/4	60	20	30.51	17.16	2-1/2	32	16	49.01	27.55
2 X 1-1/2	60	20	26.74	19.12	3	32	16	69.54	37.81
2-1/2 X 1/2	30	15	56.54	31.19	3-1/2	—	—	POA	POA
2-1/2 X 3/4	30	15	50.17	31.19	4	12	6	144.31	79.32
2-1/2 X 1	30	15	50.17	31.19	5	10	5	POA	POA
2-1/2 X 1-1/4	30	15	50.17	31.19	6	10	5	302.16	286.55
2-1/2 X 1-1/2	30	15	49.25	29.04	8	—	—	—	—
2-1/2 X 2	30	15	43.63	28.81	UNIONS, BRASS SEAT				
3 X 1/2	24	12	95.55	59.58	1/8	240	60	44.86	37.99
3 X 3/4	24	12	66.25	43.14	1/4	240	20	43.31	36.16
3 X 1	24	12	66.25	43.14	3/8	160	40	28.81	24.38
3 X 1-1/4	24	12	66.25	43.14	1/2	100	50	29.12	23.30
3 X 1-1/2	24	12	64.93	42.29	3/4	70	35	34.55	27.76
3 X 2	24	12	58.88	39.51	1	40	20	42.98	36.28
3 X 2-1/2	24	12	62.28	40.13	1-1/4	30	15	58.43	48.12
3-1/2 X 1-1/2	16	8	—	—	1-1/2	20	10	74.82	58.77
3-1/2 X 2	16	8	POA	POA	2	12	6	99.93	88.80
3-1/2 X 2-1/2	—	—	POA	POA	2-1/2	8	4	278.06	213.99
3-1/2 X 3	16	8	POA	POA	3	8	4	395.10	259.79
4 X 1/2	10	5	—	—	4	4	2	858.20	642.43
4 X 3/4	10	5	138.84	82.78	LATERALS				
4 X 1	10	5	138.84	82.78	1/2	—	—	21.61	20.22
4 X 1-1/4	10	5	138.84	82.78	3/4	—	—	29.72	26.72
4 X 1-1/2	10	5	138.84	82.78	1	—	—	46.47	35.89
4 X 2	10	5	122.47	78.32	1-1/4	—	—	76.65	62.06
4 X 2-1/2	10	5	138.83	78.32	1-1/2	—	—	104.81	84.36
4 X 3	10	5	129.65	78.32	2	—	—	168.65	136.21
4 X 3-1/2	—	—	201.14	78.32	2-1/2	—	—	666.53	284.67
5 X 2	4	2	POA	POA	3	—	—	POA	479.50
5 X 2-1/2	—	—	POA	POA	4	—	—	POA	829.14
5 X 3	4	2	POA	POA					

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115

**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMC** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203

**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

300 LB. EXTRA HEAVY FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
<b>XH 90° ELBOWS</b>					<b>XH TEES — STRAIGHT (CONTINUED)</b>				
1/4	360	180	49.01	29.00	2-1/2	4	2	881.16	372.46
3/8	240	120	50.01	25.76	3	2	1	1027.25	546.05
1/2	80	40	59.57	33.36	4	2	1	2565.12	1512.96
3/4	60	30	66.83	37.70	<b>XH TEES — REDUCING</b>				
1	40	20	85.71	48.17	3/4 X 1/2	60	30	130.12	78.45
1-1/4	24	12	134.65	70.29	1 X 1/2	32	16	155.36	95.91
1-1/2	16	8	145.96	82.84	1 X 3/4	30	15	170.93	95.91
2	12	6	245.28	119.21	1-1/4 X 1/2	24	12	244.18	142.57
2-1/2	8	4	525.91	308.98	1-1/4 X 3/4	24	12	226.81	127.61
3	4	2	643.89	354.82	1-1/4 X 1	24	12	226.81	132.47
4	2	1	1871.28	810.60	1-1/2 X 1/2	20	10	272.22	167.40
<b>XH 45° ELBOWS</b>					1-1/2 X 3/4	20	10	278.35	155.36
1/4	360	180	58.02	43.12	1-1/2 X 1	20	10	278.35	155.36
3/8	240	120	88.51	43.12	1-1/2 X 1-1/4	16	8	357.92	170.15
1/2	80	40	88.51	48.01	2 X 1/2	12	6	444.02	250.43
3/4	60	30	102.25	53.36	2 X 3/4	12	6	444.02	250.43
1	40	20	111.74	59.05	2 X 1	10	5	375.20	250.43
1-1/4	24	12	173.46	94.61	2 X 1-1/4	10	5	521.24	250.43
1-1/2	16	8	224.39	123.36	2 X 1-1/2	10	5	412.41	232.86
2	12	6	310.81	186.36	2-1/2 X 2	8	4	676.39	571.02
2-1/2	8	4	807.61	404.88	3 X 2	4	2	1797.55	1059.63
3	4	2	1061.46	532.43	<b>XH COUPLINGS</b>				
4	2	1	1533.63	1209.28	1/4	400	200	32.17	26.16
<b>XH 90° STREET ELBOWS</b>					3/8	300	150	46.27	26.16
1/4	360	180	51.58	34.30	1/2	80	40	47.50	29.16
3/8	240	120	51.58	38.43	3/4	60	30	53.65	33.53
1/2	80	40	101.08	44.76	1	40	20	70.91	38.38
3/4	60	30	107.33	63.63	1-1/4	24	12	92.45	45.63
1	40	20	140.39	74.68	1-1/2	24	12	130.51	68.32
1-1/4	24	12	183.36	102.66	2	12	6	158.06	98.36
1-1/2	16	8	235.74	126.88	2-1/2	8	4	404.16	176.21
2	12	6	368.44	197.48	3	4	2	481.16	253.83
2-1/2	—	—	POA	338.49	4	4	2	742.59	337.65
3	—	—	1108.09	447.00	<b>XH REDUCING COUPLINGS</b>				
<b>XH TEES — STRAIGHT</b>					3/8 X 1/4	—	—	46.32	34.55
1/4	240	120	69.76	36.51	1/2 X 1/4	200	100	67.09	41.59
3/8	180	90	71.05	38.64	1/2 X 3/8	200	100	67.09	41.59
1/2	60	30	88.96	49.19	3/4 X 3/8	120	60	POA	57.70
3/4	40	20	98.01	53.08	3/4 X 1/2	120	60	81.42	42.54
1	24	12	120.78	63.88					
1-1/4	20	10	172.43	91.53					
1-1/2	12	6	179.31	106.78					
2	8	4	286.65	157.59					

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115

**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821



Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203

**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646



The Best Products, The Best Service...

# SERVICE METAL

ONE CALL GETS IT ALL

June 1<sup>st</sup>, 2011

## MALLEABLE IRON PIPE FITTINGS

Malleable Iron Pipe Fittings meet the following specifications: ASTM A197, A153 ANSI B16.3, ANSI/ASME B1.20.1

300 LB. EXTRA HEAVY FITTINGS									
SIZE	CASE QUANTITY		LIST PRICE		SIZE	CASE QUANTITY		LIST PRICE	
	MASTER	INNER	GALV	BLACK		MASTER	INNER	GALV	BLACK
XH REDUCING COUPLINGS (CONTINUED)					XH CAPS				
1 X 1/2	100	50	99.19	51.81	1/4	—	—	32.80	26.76
1 X 3/4	80	40	97.24	50.80	3/8	240	120	32.80	26.76
1-1/4 X 1/2	48	24	156.23	103.13	1/2	160	80	48.14	26.59
1-1/4 X 3/4	40	20	121.58	69.38	3/4	100	50	57.53	33.53
1-1/4 X 1	40	20	110.49	66.83	1	60	30	78.96	44.00
1-1/2 X 1/2	48	24	193.64	107.17	1-1/4	40	20	93.42	48.75
1-1/2 X 3/4	40	20	150.63	95.13	1-1/2	30	15	130.97	71.25
1-1/2 X 1	36	18	150.63	91.63	2	20	10	181.23	98.94
1-1/2 X 1-1/4	36	18	166.17	104.20	2-1/2	16	8	—	185.50
2 X 1/2	24	12	309.92	154.06	3	10	5	569.58	255.99
2 X 3/4	24	12	309.92	154.66	4	6	3	748.21	420.44
2 X 1	24	12	241.53	132.83	XH UNION				
2 X 1-1/4	16	8	309.92	156.47	1/4	240	120	73.52	59.21
2 X 1-1/2	16	8	215.60	131.77	3/8	180	90	77.51	59.91
2-1/2 X 1-1/2	8	4	571.96	249.37	1/2	80	40	73.52	48.45
2-1/2 X 2	12	6	571.96	249.37	3/4	60	30	79.71	53.67
3 X 2	8	4	864.86	365.46	1	36	18	105.72	70.07
3 X 2-1/2	8	4	864.86	379.46	1-1/4	24	12	147.45	114.29
4 X 3	4	2	1348.65	771.14	1-1/2	20	10	177.49	119.65
					2	12	6	213.05	148.20
					2-1/2	8	4	594.33	477.80
					3	6	3	1005.18	618.16
					4	2	1	2521.05	1961.64

**SMP** Service Metal Products Co.  
4001 N. Kingshighway, St. Louis, MO 63115  
**TOLL FREE: 800-325-7820**  
(314) 421-1441 Fax: (314) 231-1821

**SMC** Service Metal of the Carolinas  
2320 Toomey Avenue, Charlotte, NC 28203  
**TOLL FREE: 800-438-6946**  
(704) 331-0151 Fax: (704) 331-0646