




Threaded Flange  
**CLASS 900**  
Inches / Pounds



Nominal Pipe Size	Outside Diam. of Flange (O)	Thick. of Flange (C)	Diam. of Raised Face (R)	Diam. of Hub at Base (X)	Length thru Hub (K)	Min. Thread Length (T)	Min. Counter Bore (Q)	No. of Holes	Diam. of Holes	Diam. of Bolts	Diam. of Bolt Circle	Approx. Weight (in Pounds)
1/2												
3/4												
1												
1 1/4												
1 1/2												
2												
2 1/2												
<b>USE CLASS 1500 DIMENSIONS IN THESE SIZES</b>												
3	9.50	1.50	5.00	5.00	2.12	1.62	3.63	8	1.00	0.88	7.50	26
4	11.50	1.75	6.19	6.25	2.75	1.88	4.63	8	1.25	1.12	9.25	53
5	13.75	2.00	7.31	7.50	3.12	2.12	5.69	8	1.38	1.25	11.00	83
6	15.00	2.19	8.50	9.25	3.38	2.25	6.75	12	1.25	1.12	12.50	110
8	18.50	2.50	10.62	11.75	4.00	2.50	8.75	12	1.50	1.38	15.50	170
10	21.50	2.75	12.75	14.50	4.25	2.81	10.88	16	1.50	1.38	18.50	245
12	24.00	3.12	15.00	16.50	4.62	3.00	12.94	20	1.50	1.38	21.00	325
14	25.25	3.38	16.25	17.75	5.12	3.25	14.19	20	1.62	1.50	22.00	400
16	27.75	3.50	18.50	20.00	5.25	3.38	16.19	20	1.75	1.63	24.25	425
18	31.00	4.00	21.00	22.25	6.00	3.50	18.19	20	2.00	1.88	27.00	600
20	33.75	4.25	23.00	24.50	6.25	3.62	20.19	20	2.12	2.00	29.50	730
24	41.00	5.50	27.25	29.50	8.00	4.00	24.19	20	2.62	2.50	35.50	1400

*\* Dimensions conform to ASTM A/SA-105N; ASME B16.5*